




Cross-line and 5-point laser with hand receiver mode and 360° magnetic base







- PowerBright-Laser: Special high-performance laser diodes project extremely visible laser lines.
- This unit produces 2 very visible laser lines which make it outstanding for the alignment of tiles, wall studding, windows, doors, etc.
- The **5 laser points** are placed each in 90° on the horizontal and vertical level of the laser lines. On the edges of the laser lines there are formed 3 intercept points out of laser line and point.
- The plum and ceiling points allow markings to be easily transferred from the floor to the ceiling.
- With the **360° magnetic base** the device can be used individually or in combination - on walls and attached to magnetic objects
- Automatic Level: automatic alignment by virtue of a magnetic pendulum system.
- Tilt mode is an additional feature that permits gradients to be laid out.
- Individually switchable laser lines
- Out-Of-Level: is indicated by optical signals when the unit is outside its self-levelling range.
- **RX-Ready:** The integrated hand receiver mode detects the laser lines with the optional laser receiver RX up to a max. of 40 m radius - ideal for all interior and exterior applications.
- **Transport lock:** A pendelum lock protects unit during transport.

TECHNICAL DATA

ACCURACY ± 0,2 mm / m

SELF-LEVELLING RANGE ± 4°

LEVELLING automatic

OPERATING RANGE (depending on brightness of area) 20 m

LASER WAVELENGTH 635 nm

LASER CLASS 2 / < 1 mW

POWER SUPPLY

4 x 1.5V alkaline batteries OPERATING TIME

approx. 16 hrs

WORKING TEMPERATURE 0°C ... +50°C

STORAGE TEMPERATURE -10°C ... +70°C

WATER AND DUST PROTECTION IP 54

WEIGHT

535 g (without magnetic base)

DIMENSIONS (W \times H \times D) 119 x 108 x 77 mm (CDL 5P)

1H 1V 5P







CrossDot-Laser 5P Plus

including carrying case

- + 360° magnetic base
- + batteries

Packing dimension (W \times H \times D) 440 x 370 x 110 mm



ARTICLE	ARTICLE NO	EAN-CODE	PU
CrossDot-Laser 5P Plus	081.145A	4 021563 698424	1

















